

# Text Classification and Naive Bayes

## The Task of Text Classification

# Is this spam?

YOUU Have Been PAID 📦 Check Yourr Account-Now 📦 💰 \$1000.00 💰 User ID#372-75784 ⌵ Spam x



CashAP 💰 uqaxeuhkmhorygq@extentor.help via pm.mtasv.net  
📧 to contigome ▾

Sat, Mar 18, 11:08 PM ☆ ↶ ⋮

-THIS MESSAGE WAS SENT FROM A TRUSTED SENDER.

CONGRATULATIONS \*\*\*\*@gmail.com !

A.balance..OF **\$1000.00** Is AVAILABLE FOR..your **\*CashApp\*.Accountt**

Thisss.TRANSACTION.may.Only.appearr. On.your.ACC0UNTT..afterr.  
VALIDATE.your.Info.

<b>03/2023</b>	PAYOUT:
FUNDING.For: ****    EMAIL: ****@gmail.com	<b>\$1000.000</b>
Balance Amount: <u>\$1000.00</u>	<b>Confirm Here</b>
Memo    _____ PAYOUT	SIGNATURE    _____ ****

# Is this spam?



Holmen Per <aaaggroup17@gmail.com>



Sun 9/18/2022 2:15 PM

**FROM: Holmen Per**

**RE: Investment**

**I am looking for a very vast and experienced Person, who has the experience and capacity to manage funds with good ROI. Our areas of interest are Real estate developments, hospitality, Power/Energy, Mining, Oil and Gas, Land, Agriculture, Bio-Oil, and Stock Speculation. Aside from that, we remain open to any lucrative investments you want to recommend to us. I will give you more details on the receipt of your mail.**

**Best Regards**

**Holmen**

# Is this spam?

URGENTLY



Samir Khuller <drwhitneywhitaker@gmail.com>

To: Rob Voigt



Mon 4/3/2023 10:34 AM

Hello,

Are you in the office ?

Samir Khuller

Chair, Department of Computer Science

Office: Mudd Room 3017

Phone: 847-491-2748

Email: [samir.khuller@northwestern.edu](mailto:samir.khuller@northwestern.edu)

# Is this spam?



Robert Coulter <robertcoulter33@gmail.com>

To: ○ Rob Voigt



Mon 1/16/2023 5:36 AM

--

Hello, I contacted your school admin at Northwestern University. I graduated from there. I explained that I was looking for an Administrative/Personal Assistant and I was directed to check the school job link.

You will make \$400 weekly working as my part-time personal assistant.

The position is so flexible that you can handle the job wherever you are, and I don't mind you doing all of the tasks during your spare time outside of work or school.

All expenses and taxes will be covered by me, you will work between 2 to 4 hours a week. Get back to me with your phone number and preferred email for more information.



Respectively,  
Robert Coulter.

# Who wrote which Federalist papers?


1787-8: anonymous essays try to convince New York to ratify U.S Constitution: Jay, Madison, Hamilton.

Authorship of 12 of the letters in dispute

1963: solved by Mosteller and Wallace using Bayesian methods



James Madison



Alexander Hamilton



# Positive or negative movie review?

- + *...zany characters and richly applied satire, and some great plot twists*
- *It was pathetic. The worst part about it was the boxing scenes...*
- + *...awesome caramel sauce and sweet toasty almonds. I love this place!*
- *...awful pizza and ridiculously overpriced...*



# Positive or negative movie review?

- + ...zany characters and **richly** applied satire, and some **great** plot twists
- It was **pathetic**. The **worst** part about it was the boxing scenes...
- + ...**awesome** caramel sauce and sweet toasty almonds. I **love** this place!
- ...**awful** pizza and **ridiculously** overpriced...

# Why sentiment analysis?

*Movie:* is this review positive or negative?

*Products:* what do people think about the new iPhone?

*Public sentiment:* how is consumer confidence?

*Politics:* what do people think about this candidate or issue?

*Prediction:* predict election outcomes or market trends from sentiment

# Scherer Typology of Affective States

**Emotion:** brief organically synchronized ... evaluation of a major event

- *angry, sad, joyful, fearful, ashamed, proud, elated*

**Mood:** diffuse non-caused low-intensity long-duration change in subjective feeling

- *cheerful, gloomy, irritable, listless, depressed, buoyant*

**Interpersonal stances:** affective stance toward another person in a specific interaction

- *friendly, flirtatious, distant, cold, warm, supportive, contemptuous*

**Attitudes:** enduring, affectively colored beliefs, dispositions towards objects or persons

- *liking, loving, hating, valuing, desiring*

**Personality traits:** stable personality dispositions and typical behavior tendencies

- *nervous, anxious, reckless, morose, hostile, jealous*

# Scherer Typology of Affective States

**Emotion:** brief organically synchronized ... evaluation of a major event

- *angry, sad, joyful, fearful, ashamed, proud, elated*

**Mood:** diffuse non-caused low-intensity long-duration change in subjective feeling

- *cheerful, gloomy, irritable, listless, depressed, buoyant*

**Interpersonal stances:** affective stance toward another person in a specific interaction

- *friendly, flirtatious, distant, cold, warm, supportive, contemptuous*

**Attitudes:** enduring, affectively colored beliefs, dispositions towards objects or persons

- *liking, loving, hating, valuing, desiring*

**Personality traits:** stable personality dispositions and typical behavior tendencies

- *nervous, anxious, reckless, morose, hostile, jealous*

# Basic Sentiment Classification

Sentiment analysis is generally the detection of **attitudes**

Simple first-pass task

- Is the attitude of this text positive or negative?

# Summary: Text Classification

Sentiment analysis

Spam detection

Authorship identification

Language Identification

Assigning subject categories, topics, or genres

...

# Text Classification: definition

*Input:*

- a document  $d$
- a fixed set of classes  $C = \{c_1, c_2, \dots, c_j\}$

*Output:* a predicted class  $c \in C$

# Classification Methods: Hand-coded rules

Rules based on combinations of words or other features

- spam: black-list-address OR (“dollars” AND “you have been selected”)

Accuracy can be high

- If rules carefully refined by expert

But building and maintaining these rules is expensive



# Classification Methods: Supervised Machine Learning

## *Input:*

- a document  $d$
- a fixed set of classes  $C = \{c_1, c_2, \dots, c_j\}$
- A training set of  $m$  hand-labeled documents  
 $(d_1, c_1), \dots, (d_m, c_m)$

## *Output:*

- a learned classifier  $\gamma: d \rightarrow c$

# Classification Methods: Supervised Machine Learning

Any kind of classifier

- Naïve Bayes
- Logistic regression
- Neural networks
- k-Nearest Neighbors
- ...

Text  
Classification  
and Naive  
Bayes

The Task of Text Classification

Text  
Classification  
and Naive  
Bayes

# The Naive Bayes Classifier

# Naive Bayes Intuition

Simple ("naive") classification method based on Bayes rule

Relies on very simple representation of document

- **Bag of words**

# The Bag of Words Representation

I love this movie! It's sweet, but with satirical humor. The dialogue is great and the adventure scenes are fun... It manages to be whimsical and romantic while laughing at the conventions of the fairy tale genre. I would recommend it to just about anyone. I've seen it several times, and I'm always happy to see it again whenever I have a friend who hasn't seen it yet!



it	6
I	5
the	4
to	3
and	3
seen	2
yet	1
would	1
whimsical	1
times	1
sweet	1
satirical	1
adventure	1
genre	1
fairy	1
humor	1
have	1
great	1
...	...

# The bag of words representation

Y (

seen	2
sweet	1
whimsical	1
recommend	1
happy	1
...	...

)

= C



## Definition of Bayes Rule

- For a given hypothesis  $H$  and a set of evidence  $E$ , how confident should we be that  $H$  is true?

$$P(H|E)$$

- We call this the “posterior probability”, e.g. the probability we estimate **after** seeing evidence
- It turns out  $P(H|E)$  is often hard to calculate directly
  - not just in CL/NLP!



## Definition of Bayes Rule

- We can use the definition of conditional probability to decompose this into more manageable parts:

$$P(E, H) = P(H, E)$$

$$P(H|E)P(E) = P(E|H)P(H)$$

$$P(H|E) = \frac{P(E|H)P(H)}{P(E)}$$

# Definition of Bayes Rule

*likelihood*

Can be trickier, but still doable, “how compatible is this evidence with H?”

Often feasible, “how reasonable is this idea in the first place?”

*prior*

$$P(H|E) = \frac{P(E|H)P(H)}{P(E)}$$

Often feasible, “how much should we trust this evidence?”

*model evidence  
(importantly not 0)*

# Bayes' Rule Applied to Documents and Classes

- For a document  $d$  and a class  $c$

$$P(c | d) = \frac{P(d | c)P(c)}{P(d)}$$

# Naive Bayes Classifier (I)

$$c_{MAP} = \operatorname{argmax}_{c \in C} P(c | d)$$

MAP is “maximum a posteriori” = most likely class

$$= \operatorname{argmax}_{c \in C} \frac{P(d | c)P(c)}{P(d)}$$

Bayes Rule

$$= \operatorname{argmax}_{c \in C} P(d | c)P(c)$$

Dropping the denominator

# Naive Bayes Classifier (II)

"Likelihood"

"Prior"

$$c_{MAP} = \operatorname{argmax}_{c \in C} P(d | c)P(c)$$

$$= \operatorname{argmax}_{c \in C} P(x_1, x_2, \dots, x_n | c)P(c)$$

Document d  
represented as  
features  $x_1..x_n$

# Naïve Bayes Classifier (IV)

$$c_{MAP} = \operatorname{argmax}_{c \in C} P(x_1, x_2, \dots, x_n | c)P(c)$$

$O(|X|^n \cdot |C|)$  parameters

Could only be estimated if a very, very large number of training examples was available.

How often does this class occur?

We can just count the relative frequencies in a corpus

# Multinomial Naive Bayes Independence Assumptions

$$P(x_1, x_2, \dots, x_n | c)$$

**Bag of Words assumption:** Assume position doesn't matter

**Conditional Independence:** Assume the feature probabilities  $P(x_i | c_j)$  are independent given the class  $c$ .

$$P(x_1, \dots, x_n | c) = P(x_1 | c) \bullet P(x_2 | c) \bullet P(x_3 | c) \bullet \dots \bullet P(x_n | c)$$

# Multinomial Naive Bayes Classifier

$$c_{MAP} = \operatorname{argmax}_{c \in C} P(x_1, x_2, \dots, x_n | c) P(c)$$

$$c_{NB} = \operatorname{argmax}_{c \in C} P(c_j) \prod_{x \in X} P(x | c)$$



# Applying Multinomial Naive Bayes Classifiers to Text Classification

positions  $\leftarrow$  all word positions in test document

$$c_{NB} = \operatorname{argmax}_{c_j \in C} P(c_j) \prod_{i \in \text{positions}} P(x_i | c_j)$$

# Problems with multiplying lots of probs

There's a problem with this:

$$c_{NB} = \operatorname{argmax}_{c_j \in C} P(c_j) \prod_{i \in \text{positions}} P(x_i | c_j)$$

Multiplying lots of probabilities can result in floating-point underflow!

.0006 \* .0007 \* .0009 \* .01 \* .5 \* .000008....

Idea: Use logs, because  $\log(ab) = \log(a) + \log(b)$

We'll sum logs of probabilities instead of multiplying probabilities!

# We actually do everything in log space

Instead of this:  $c_{NB} = \operatorname{argmax}_{c_j \in C} P(c_j) \prod_{i \in \text{positions}} P(x_i | c_j)$

This:  $c_{NB} = \operatorname{argmax}_{c_j \in C} \left[ \log P(c_j) + \sum_{i \in \text{positions}} \log P(x_i | c_j) \right]$

Notes:

1) Taking log doesn't change the ranking of classes!

The class with highest probability also has highest log probability!

2) It's a linear model:

Just a max of a sum of weights: a **linear** function of the inputs

So naive bayes is a **linear classifier**

Text  
Classification  
and Naive  
Bayes

# The Naive Bayes Classifier

# Text Classification and Naïve Bayes

## Naive Bayes: Learning

# Learning the Multinomial Naive Bayes Model

First attempt: maximum likelihood estimates

- simply use the frequencies in the data

$$\hat{P}(c_j) = \frac{N_{c_j}}{N_{total}}$$

$$\hat{P}(w_i | c_j) = \frac{\text{count}(w_i, c_j)}{\sum_{w \in V} \text{count}(w, c_j)}$$

# Parameter estimation

$$\hat{P}(w_i | c_j) = \frac{\text{count}(w_i, c_j)}{\sum_{w \in V} \text{count}(w, c_j)}$$

fraction of times word  $w_i$  appears  
among all words in documents of topic  $c_j$

Create mega-document for topic  $j$  by concatenating all docs in this topic

- Use frequency of  $w$  in mega-document

# Problem with Maximum Likelihood

What if we have seen no training documents with the word *fantastic* and classified in the topic **positive** (*thumbs-up*)?

$$\hat{P}(\text{"fantastic"} \mid \text{positive}) = \frac{\text{count}(\text{"fantastic"}, \text{positive})}{\sum_{w \in V} \text{count}(w, \text{positive})} = 0$$

Zero probabilities cannot be conditioned away, no matter the other evidence!

$$c_{MAP} = \operatorname{argmax}_c \hat{P}(c) \prod_i \hat{P}(x_i \mid c)$$



# Laplace (add-1) smoothing for Naïve Bayes

$$\begin{aligned}\hat{P}(w_i | c) &= \frac{\text{count}(w_i, c) + 1}{\sum_{w \in V} (\text{count}(w, c) + 1)} \\ &= \frac{\text{count}(w_i, c) + 1}{\left( \sum_{w \in V} \text{count}(w, c) \right) + |V|}\end{aligned}$$

# Multinomial Naïve Bayes: Learning

- From training corpus, extract *Vocabulary*

Calculate  $P(c_j)$  terms

- For each  $c_j$  in  $C$  do

$docs_j \leftarrow$  all docs with class =  $c_j$

$$P(c_j) \leftarrow \frac{|docs_j|}{|\text{total \# documents}|}$$

- Calculate  $P(w_k | c_j)$  terms

- $Text_j \leftarrow$  single doc containing all  $docs_j$

- For each word  $w_k$  in *Vocabulary*

$n_k \leftarrow$  # of occurrences of  $w_k$  in  $Text_j$

$$P(w_k | c_j) \leftarrow \frac{n_k + \alpha}{n + \alpha |Vocabulary|}$$

# Unknown words

## What about unknown words

- that appear in our test data
- but not in our training data or vocabulary?

## We **ignore** them

- Remove them from the test document!
- Pretend they weren't there!
- Don't include any probability for them at all!

## Why don't we build an unknown word model?

- It doesn't help: knowing which class has more unknown words is not generally helpful!

# Stop words

## Some systems ignore stop words

- **Stop words:** very frequent words like *the* and *a*.
- Sort the vocabulary by word frequency in training set
- Call the top 10 or 50 words the **stopword list**.
- Remove all stop words from both training and test sets
  - As if they were never there!

## But removing stop words doesn't usually help

- So in practice most NB algorithms use **all** words and **don't** use stopwords lists

# Text Classification and Naive Bayes

## Naive Bayes: Learning

Text  
Classification  
and Naive  
Bayes

Sentiment and Binary  
Naive Bayes

# Let's do a worked sentiment example!

	<b>Cat</b>	<b>Documents</b>
<b>Training</b>	-	just plain boring
	-	entirely predictable and lacks energy
	-	no surprises and very few laughs
	+	very powerful
	+	the most fun film of the summer
<b>Test</b>	?	predictable with no fun

# A worked sentiment example with add-1 smoothing

	Cat	Documents
Training	-	just plain boring
	-	entirely predictable and lacks energy
	-	no surprises and very few laughs
	+	very powerful
	+	the most fun film of the summer
Test	?	predictable <del>with</del> no fun

1. Prior from training:

$$\hat{P}(c_j) = \frac{N_{c_j}}{N_{total}} \quad P(-) = 3/5$$
$$P(+) = 2/5$$

2. Drop "with"

3. Likelihoods from training:

$$p(w_i|c) = \frac{\text{count}(w_i, c) + 1}{(\sum_{w \in V} \text{count}(w, c)) + |V|}$$

$$P(\text{"predictable"}|-) = \frac{1+1}{14+20} \quad P(\text{"predictable"}|+) = \frac{0+1}{9+20}$$

$$P(\text{"no"}|-) = \frac{1+1}{14+20} \quad P(\text{"no"}|+) = \frac{0+1}{9+20}$$

$$P(\text{"fun"}|-) = \frac{0+1}{14+20} \quad P(\text{"fun"}|+) = \frac{1+1}{9+20}$$

4. Scoring the test set:

$$P(-)P(S|-) = \frac{3}{5} \times \frac{2 \times 2 \times 1}{34^3} = 6.1 \times 10^{-5}$$

$$P(+ )P(S|+) = \frac{2}{5} \times \frac{1 \times 1 \times 2}{29^3} = 3.2 \times 10^{-5}$$



# Optimizing for sentiment analysis

For tasks like sentiment, word **occurrence** seems to be more important than word **frequency**.

- The occurrence of the word *fantastic* tells us a lot
- The fact that it occurs 5 times may not tell us much more.

## **Binary multinominal naive bayes, or binary NB**

- Clip our word counts at 1
- Note: this is different than Bernoulli naive bayes; see the textbook notes at the end of the chapter.

# Binary Multinomial Naïve Bayes: Learning

- From training corpus, extract *Vocabulary*

Calculate  $P(c_j)$  terms

- For each  $c_j$  in  $C$  do

$docs_j \leftarrow$  all docs with class =  $c_j$

$$P(c_j) \leftarrow \frac{|docs_j|}{|\text{total \# documents}|}$$

- Calculate  $P(w_k | c_j)$  terms

- $Text_j \leftarrow$  single doc containing all  $docs_j$

- For each word  $w_k$  in *Vocabulary*

$n_k \leftarrow$  # of occurrences of  $w_k$  in  $Text_j$

$$P(w_k | c_j) \leftarrow \frac{n_k + \alpha}{n + \alpha |Vocabulary|}$$

- Remove duplicates in each doc:
  - For each word type  $w$  in  $doc_j$ 
    - Retain only a single instance of  $w$

# Binary Multinomial Naive Bayes on a test document $d$

First remove all duplicate words from  $d$

Then compute NB using the same equation:

$$c_{NB} = \operatorname{argmax}_{c_j \in C} P(c_j) \prod_{i \in \text{positions}} P(w_i | c_j)$$

Text  
Classification  
and Naive  
Bayes

Sentiment and Binary  
Naive Bayes

Text  
Classification  
and Naive  
Bayes

More on Sentiment  
Classification

# Sentiment Classification: Dealing with Negation

I really like this movie

I really **don't** like this movie

Negation changes the meaning of "like" to negative.

Negation can also change negative to positive-ish

- **Don't** dismiss this film
- **Doesn't** let us get bored

# Sentiment Classification: Dealing with Negation

Das, Sanjiv and Mike Chen. 2001. Yahoo! for Amazon: Extracting market sentiment from stock message boards. In Proceedings of the Asia Pacific Finance Association Annual Conference (APFA).

Bo Pang, Lillian Lee, and Shivakumar Vaithyanathan. 2002. Thumbs up? Sentiment Classification using Machine Learning Techniques. EMNLP-2002, 79—86.

Simple baseline method:

Add NOT\_ to every word between negation and following punctuation:

didn't like this movie , but I



didn't NOT\_like NOT\_this NOT\_movie but I

# Sentiment Classification: Lexicons

Sometimes we don't have enough labeled training data

In that case, we can make use of pre-built word lists

Called **lexicons**

There are various publically available lexicons

And a whole chapter in the book discussing them!

Chapter 25



# MPQA Subjectivity Cues Lexicon

Theresa Wilson, Janyce Wiebe, and Paul Hoffmann (2005). Recognizing Contextual Polarity in Phrase-Level Sentiment Analysis. Proc. of HLT-EMNLP-2005.

Riloff and Wiebe (2003). Learning extraction patterns for subjective expressions. EMNLP-2003.

Home page: [https://mpqa.cs.pitt.edu/lexicons/subj\\_lexicon/](https://mpqa.cs.pitt.edu/lexicons/subj_lexicon/)

6885 words from 8221 lemmas, annotated for intensity (strong/weak)

- 2718 positive
- 4912 negative

+ : *admirable, beautiful, confident, dazzling, ecstatic, favor, glee, great*

- : *awful, bad, bias, catastrophe, cheat, deny, envious, foul, harsh, hate*

# The General Inquirer

Philip J. Stone, Dexter C Dunphy, Marshall S. Smith, Daniel M. Ogilvie. 1966. The General Inquirer: A Computer Approach to Content Analysis. MIT Press

- Home page: <http://www.wjh.harvard.edu/~inquirer>
- List of Categories:  
<http://www.wjh.harvard.edu/~inquirer/homecat.htm>
- Spreadsheet: <http://www.wjh.harvard.edu/~inquirer/inquirerbasic.xls>

## Categories:

- Positiv (1915 words) and Negativ (2291 words)
- Strong vs Weak, Active vs Passive, Overstated versus Understated
- Pleasure, Pain, Virtue, Vice, Motivation, Cognitive Orientation, etc

Free for Research Use

# Using Lexicons in Sentiment Classification

**Add a feature** that gets a count whenever a word from the lexicon occurs

- E.g., a feature called "**this word occurs in the positive lexicon**" or "**this word occurs in the negative lexicon**"

Now all positive words (*good, great, beautiful, wonderful*) or negative words count for that feature.

Using 1-2 features isn't as good as using all the words.

- But when training data is sparse or not representative of the test set, dense lexicon features can help

# Naive Bayes in Other tasks: Spam Filtering

## Apache SpamAssassin Features:

- Mentions millions of (dollar) ((dollar) NN,NNN,NNN.NN)
- From: starts with many numbers
- Subject is all capitals
- HTML has a low ratio of text to image area
- "One hundred percent guaranteed"
- Claims you can be removed from the list

# Naive Bayes in Language ID

Determining what language a piece of text is written in.

Features based on character n-grams do very well

Important to train on lots of varieties of each language  
(e.g., American English varieties like African-American English,  
or English varieties around the world like Indian English)

# Summary: Naive Bayes is Not So Naive

Very Fast, low storage requirements

Work well with very small amounts of training data

Robust to Irrelevant Features

Irrelevant Features cancel each other without affecting results

Very good in domains with many equally important features

Decision Trees suffer from *fragmentation* in such cases – especially if little data

Optimal if the independence assumptions hold: If assumed independence is correct, then it is the Bayes Optimal Classifier for problem

A good dependable baseline for text classification

- **But we will see other classifiers that give better accuracy**

Text  
Classification  
and Naive  
Bayes


More on Sentiment  
Classification

Text  
Classification  
and Naïve  
Bayes

Naïve Bayes: Relationship  
to Language Modeling



# Generative Model for Multinomial Naïve Bayes



# Naïve Bayes and Language Modeling

Naïve bayes classifiers can use any sort of feature

- URL, email address, dictionaries, network features

But if, as in the previous slides

- We use **only** word features
- we use **all** of the words in the text (not a subset)

Then

- Naive bayes has an important similarity to language modeling.

# Each class = a unigram language model

Assigning each word:  $P(\text{word} \mid c)$

Assigning each sentence:  $P(s \mid c) = \prod P(\text{word} \mid c)$

Class <i>pos</i>		<u>I</u>	<u>love</u>	<u>this</u>	<u>fun</u>	<u>film</u>
0.1	I					
0.1	love					
0.01	this	0.1	0.1	.05	0.01	0.1
0.05	fun					
0.1	film					
...						

$P(s \mid \text{pos}) = 0.0000005$

# Naïve Bayes as a Language Model

Which class assigns the higher probability to s?

Model pos	
0.1	I
0.1	love
0.01	this
0.05	fun
0.1	film

Model neg	
0.2	I
0.001	love
0.01	this
0.005	fun
0.1	film

	I	love	this	fun	film
0.1	0.1	0.01	0.05	0.1	
0.2	0.001	0.01	0.005	0.1	

$$P(s|\text{pos}) > P(s|\text{neg})$$

# Text Classification and Naïve Bayes

## Naïve Bayes: Relationship to Language Modeling

# Text Classification and Naïve Bayes

Precision, Recall, and F  
measure

# Evaluation

Let's consider just binary text classification tasks

Imagine you're the CEO of Delicious Pie Company

You want to know what people are saying about your pies

So you build a "Delicious Pie" tweet detector

- Positive class: tweets about Delicious Pie Co
- Negative class: all other tweets

# The 2-by-2 confusion matrix

*gold standard labels*

gold positive    gold negative

*system  
output  
labels*

system  
positive  
  
system  
negative

<b>true positive</b>	<b>false positive</b>
<b>false negative</b>	<b>true negative</b>

$$\text{precision} = \frac{tp}{tp+fp}$$

$$\text{recall} = \frac{tp}{tp+fn}$$

$$\text{accuracy} = \frac{tp+tn}{tp+fp+tn+fn}$$



# Evaluation: Accuracy

Why don't we use **accuracy** as our metric?

Imagine we saw 1 million tweets

- 100 of them talked about Delicious Pie Co.
- 999,900 talked about something else

We could build a dumb classifier that just labels every tweet "not about pie"

- It would get 99.99% accuracy!!! Wow!!!!
- But useless! Doesn't return the comments we are looking for!
- That's why we use **precision** and **recall** instead

# Evaluation: Precision

% of items the system detected (i.e., items the system labeled as positive) that are in fact positive (according to the human gold labels)

$$\mathbf{Precision} = \frac{\text{true positives}}{\text{true positives} + \text{false positives}}$$

# Evaluation: Recall

% of items actually present in the input that were correctly identified by the system.

$$\text{Recall} = \frac{\text{true positives}}{\text{true positives} + \text{false negatives}}$$

# Why Precision and recall

## Our dumb pie-classifier

- Just label nothing as "about pie"

Accuracy=99.99%

but

Recall = 0

- (it doesn't get any of the 100 Pie tweets)

Precision and recall, unlike accuracy, emphasize true positives:

- finding the things that we are supposed to be looking for.

# A combined measure: F

F measure: a single number that combines P and R:

$$F_{\beta} = \frac{(\beta^2 + 1)PR}{\beta^2 P + R}$$

We almost always use balanced  $F_1$  (i.e.,  $\beta = 1$ )

$$F_1 = \frac{2PR}{P + R}$$

# Development Test Sets ("Devsets") and Cross-validation

Training set

Development Test Set


Test Set

Train on training set, tune on devset, report on testset

- This avoids overfitting ('tuning to the test set')
- More conservative estimate of performance
- But paradox: want as much data as possible for training, and as much for dev; how to split?

# Cross-validation: multiple splits

Pool results over splits, Compute pooled dev performance



# Text Classification and Naive Bayes

Precision, Recall, and F  
measure



# Text Classification and Naive Bayes

Evaluation with more than  
two classes

# Confusion Matrix for 3-class classification

		<i>gold labels</i>			
		urgent	normal	spam	
<i>system output</i>	urgent	8	10	1	<b>precision<sub>u</sub></b> = $\frac{8}{8+10+1}$
	normal	5	60	50	<b>precision<sub>n</sub></b> = $\frac{60}{5+60+50}$
	spam	3	30	200	<b>precision<sub>s</sub></b> = $\frac{200}{3+30+200}$
		<b>recall<sub>u</sub></b> = $\frac{8}{8+5+3}$	<b>recall<sub>n</sub></b> = $\frac{60}{10+60+30}$	<b>recall<sub>s</sub></b> = $\frac{200}{1+50+200}$	

# How to combine P/R from 3 classes to get one metric

## Macroaveraging:

- compute the performance for each class, and then average over classes

## Microaveraging:

- collect decisions for all classes into one confusion matrix
- compute precision and recall from that table.

# Macroaveraging and Microaveraging

## Class 1: Urgent

	true urgent	true not
system urgent	8	11
system not	8	340

$$\text{precision} = \frac{8}{8+11} = .42$$

## Class 2: Normal

	true normal	true not
system normal	60	55
system not	40	212

$$\text{precision} = \frac{60}{60+55} = .52$$

## Class 3: Spam

	true spam	true not
system spam	200	33
system not	51	83

$$\text{precision} = \frac{200}{200+33} = .86$$

## Pooled

	true yes	true no
system yes	268	99
system no	99	635

$$\text{microaverage precision} = \frac{268}{268+99} = .73$$

$$\text{macroaverage precision} = \frac{.42+.52+.86}{3} = .60$$

# Text Classification and Naive Bayes

Evaluation with more than  
two classes

Text  
Classification  
and Naive  
Bayes

Avoiding Harms in  
Classification

# Harms in sentiment classifiers

Kiritchenko and Mohammad (2018) found that most sentiment classifiers assign lower sentiment and more negative emotion to sentences with African American names in them.

This perpetuates negative stereotypes that associate African Americans with negative emotions

# Harms in toxicity classification

Toxicity detection is the task of detecting hate speech, abuse, harassment, or other kinds of toxic language

But some toxicity classifiers incorrectly flag as being toxic sentences that are non-toxic but simply mention identities like blind people, women, or gay people.

This could lead to censorship of discussion about these groups.



# What causes these harms?

Can be caused by:

- Problems in the training data; machine learning systems are known to amplify the biases in their training data.
- Problems in the human labels
- Problems in the resources used (like lexicons)
- Problems in model architecture (like what the model is trained to optimized)

Mitigation of these harms is an open research area

Meanwhile: **model cards**

# Model Cards

(Mitchell et al., 2019)

For each algorithm you release, document:

- training algorithms and parameters
- training data sources, motivation, and preprocessing
- evaluation data sources, motivation, and preprocessing
- intended use and users
- model performance across different demographic or other groups and environmental situations

Text  
Classification  
and Naive  
Bayes

Avoiding Harms in  
Classification

Text  
Classification  
and Naive  
Bayes

Statistical Significance  
Testing

# How do we know if one classifier is better than another?

Given:

- Classifier A and B
- Metric M:  $M(A,x)$  is the performance of A on testset  $x$
- $\delta(x)$ : the performance difference between A, B on  $x$ :
  - $\delta(x) = M(A,x) - M(B,x)$
- We want to know if  $\delta(x) > 0$ , meaning A is better than B
- $\delta(x)$  is called the **effect size**
- Suppose we look and see that  $\delta(x)$  is positive. Are we done?
- No! This might be just an accident of this one test set, or circumstance of the experiment. Instead:

# Statistical Hypothesis Testing

Consider two hypotheses:

- Null hypothesis: A isn't better than B  $H_0 : \delta(x) \leq 0$
- A is better than B  $H_1 : \delta(x) > 0$

We want to rule out  $H_0$

We create a random variable  $X$  ranging over test sets

And ask, how likely, if  $H_0$  is true, is it that among these test sets we would see the  $\delta(x)$  we did see?

- Formalized as the p-value:

$$P(\delta(X) \geq \delta(x) | H_0 \text{ is true})$$

# Statistical Hypothesis Testing

$$P(\delta(X) \geq \delta(x) | H_0 \text{ is true})$$

- In our example, this p-value is the probability that we would see  $\delta(x)$  assuming  $H_0$  (=A is not better than B).
- If  $H_0$  is true but  $\delta(x)$  is huge, that is surprising! Very low probability!
- A very small p-value means that the difference we observed is very unlikely under the null hypothesis, and we can reject the null hypothesis
- Very small: .05 or .01
- A result(e.g., “A is better than B”) is **statistically significant** if the  $\delta$  we saw has a probability that is below the threshold and we therefore reject this null hypothesis.

# Statistical Hypothesis Testing

- How do we compute this probability?
- In NLP, we don't tend to use parametric tests (like t-tests)
- Instead, we use non-parametric tests based on sampling: artificially creating many versions of the setup.
- For example, suppose we had created zillions of testsets  $x'$ .
  - Now we measure the value of  $\delta(x')$  on each test set
  - That gives us a distribution
  - Now set a threshold (say .01).
  - So if we see that in 99% of the test sets  $\delta(x) > \delta(x')$ 
    - We conclude that our original test set delta was a real delta and not an artifact.



# Statistical Hypothesis Testing

Two common approaches:

- approximate randomization
- bootstrap test

Paired tests:

- Comparing two sets of observations in which each observation in one set can be paired with an observation in another.
- For example, when looking at systems A and B **on the same test set**, we can compare the performance of system A and B on each same observation  $x_i$

Text  
Classification  
and Naive  
Bayes

Statistical Significance  
Testing

Text  
Classification  
and Naive  
Bayes

## The Paired Bootstrap Test

# Bootstrap test

Efron and Tibshirani, 1993

Can apply to any metric (accuracy, precision, recall, F1, etc).

**Bootstrap** means to repeatedly draw large numbers of smaller samples with replacement (called **bootstrap samples**) from an original larger sample.

# Bootstrap example

Consider a baby text classification example with a test set  $x$  of 10 documents, using accuracy as metric.

Suppose these are the results of systems A and B on  $x$ , with 4 outcomes (A & B both right, A & B both wrong, A right/B wrong, A wrong/B right):

	1	2	3	4	5	6	7	8	9	10	A%	B%	$d()$
$x$	AB	<del>AB</del>	AB	<del>AB</del>	<del>AB</del>	<del>AB</del>	<del>AB</del>	AB	<del>AB</del>	<del>AB</del>	.70	.50	.20



# Bootstrap example

Now we have a distribution! We can check how often A has an **accidental** advantage, to see if the original  $\delta(x)$  we saw was very common.

Now assuming  $H_0$ , that means normally we expect  $\delta(x')=0$

So we just count how many times the  $\delta(x')$  we found exceeds the expected 0 value by  $\delta(x)$  or more:

$$\text{p-value}(x) = \frac{\sum_{i=1}^b \mathbb{1}_{d(x^{(i)}) - d(x) \geq 0}}{b}$$

# Bootstrap example

Alas, it's slightly more complicated.

We didn't draw these samples from a distribution with 0 mean; we created them from the original test set  $x$ , which happens to be biased (by .20) in favor of  $A$ .

So to measure how surprising is our observed  $\delta(x)$ , we actually compute the p-value by counting how often  $\delta(x')$  exceeds the expected value of  $\delta(x)$  by  $\delta(x)$  or more:

$$\begin{aligned} \text{p-value}(x) &= \frac{1}{B} \sum_{i=1}^B \mathbb{1} [d(x^{(i)}) - d(x) \geq d(x)] \\ &= \frac{1}{B} \sum_{i=1}^B \mathbb{1} [d(x^{(i)}) \geq 2d(x)] \end{aligned}$$



# Bootstrap example

Suppose:

- We have 10,000 test sets  $x(i)$  and a threshold of .01
- And in only 47 of the test sets do we find that  $\delta(x(i)) \geq 2\delta(x)$
- The resulting p-value is .0047
- This is smaller than .01, indicating  $\delta(x)$  is indeed sufficiently surprising
- And we reject the null hypothesis and conclude  $A$  is better than  $B$ .

# Paired bootstrap example

After Berg-Kirkpatrick et al (2012)

**function** BOOTSTRAP(test set  $x$ , num of samples  $b$ ) **returns**  $p\text{-value}(x)$

Calculate  $\delta(x)$  # how much better does algorithm A do than B on  $x$

$s = 0$

**for**  $i = 1$  **to**  $b$  **do**

**for**  $j = 1$  **to**  $n$  **do** # Draw a bootstrap sample  $x^{(i)}$  of size  $n$

        Select a member of  $x$  at random and add it to  $x^{(i)}$

    Calculate  $\delta(x^{(i)})$  # how much better does algorithm A do than B on  $x^{(i)}$

$s \leftarrow s + 1$  **if**  $\delta(x^{(i)}) > 2\delta(x)$

$p\text{-value}(x) \approx \frac{s}{b}$  # on what % of the  $b$  samples did algorithm A beat expectations?

**return**  $p\text{-value}(x)$  # if very few did, our observed  $\delta$  is probably not accidental

Text  
Classification  
and Naive  
Bayes

## The Paired Bootstrap Test