# Examples in Which the Taylor Responds too Weakly to Shocks\*

#### Lawrence Christiano

December 9, 2017

The result is presented in the form of a proposition at the end of this note. Here is the simple NK model, after linearization about a zero inflation steady state:

$$x_{t} = x_{t+1} - [r_{t} - \pi_{t+1} - r_{t}^{*}]$$

$$r_{t} = \phi_{\pi} \pi_{t}$$

$$\pi_{t} = \beta \pi_{t+1} + \kappa x_{t}$$

$$r_{t}^{*} = E_{t} (a_{t+1} - a_{t}),$$

where

$$\kappa = \frac{(1-\theta)(1-\beta\theta)}{\theta}(1+\varphi).$$

# 1 DS Representation

Suppose that the law of motion of  $a_t$  is as follows:

$$\Delta a_t = \rho \Delta a_{t-1} + \varepsilon_t$$

so that

$$r_t^* = E_t \Delta a_{t+1} = \gamma_0 \Delta a_t,$$

where

$$\gamma_0 = \rho. \tag{1}$$

Conjecture the following solution:<sup>1</sup>

$$\pi_t = \gamma_1 \Delta a_t, x_t = \gamma_2 \Delta a_t, r_t = \gamma_3 \Delta a_t$$

<sup>\*</sup>Quickly written notes, use at own risk!

<sup>&</sup>lt;sup>1</sup>When  $\phi_{\pi} > 1$ , this delivers the unique, non-explosive solution in a neighborhood of steady state. See this for details.

Substituting,

$$\gamma_2 = \rho \gamma_2 - \gamma_3 + \rho \gamma_1 + \rho \tag{2}$$

$$\gamma_3 = \phi_\pi \gamma_1 \tag{3}$$

$$\gamma_1 = \beta \gamma_1 \rho + \kappa \gamma_2 \tag{4}$$

We also examine the response of the real interest rate,  $\tilde{r}_t$ :

$$\tilde{r}_t = r_t - E_t \pi_{t+1} = \gamma_4 \Delta a_t,$$

where

$$\gamma_4 = \gamma_3 - \gamma_1 \rho.$$

Rewriting (3):

$$\gamma_1 = \frac{\gamma_3}{\phi_\pi} \tag{5}$$

Solving (4) for  $\gamma_2$  and using the previous expression:

$$\gamma_2 = \frac{(1 - \beta \rho)}{\kappa} \gamma_1 = \frac{(1 - \beta \rho)}{\kappa} \frac{\gamma_3}{\phi_{\pi}} \tag{6}$$

Rewriting (2):

$$(1 - \rho)\gamma_2 + \gamma_3 - \rho\gamma_1 = \rho$$

Substituting (5) and (6) into the latter:

$$\left[\frac{(1-\beta\rho)}{\kappa}\frac{(1-\rho)}{\phi_{\pi}} + 1 - \frac{\rho}{\phi_{\pi}}\right]\gamma_{3} = \rho. \tag{7}$$

Using (8) we obtain

$$\gamma_4 = \gamma_3 - \gamma_1 \rho = \gamma_4 = \left(1 - \frac{\rho}{\phi_\pi}\right) \gamma_3 \tag{8}$$

so,

$$\gamma_4 = \left(1 - \frac{\rho}{\phi_{\pi}}\right) \frac{\rho}{\left(\frac{(1-\beta\rho)(1-\rho)}{(1-\beta\theta)(1-\theta)} \frac{\theta}{(1+\varphi)} - \rho\right) \frac{1}{\phi_{\pi}} + 1}$$

$$= \frac{(\phi_{\pi} - \rho) \rho}{\frac{(1-\beta\rho)(1-\rho)}{(1-\beta\theta)(1-\theta)} \frac{\theta}{(1+\varphi)} + \phi_{\pi} - \rho},$$

so that

$$\frac{\gamma_4}{\gamma_0} = \psi,$$

using (1), where

$$\psi = \frac{\phi_{\pi} - \rho}{\frac{(1-\beta\rho)(1-\rho)}{(1-\beta\theta)(1-\theta)}\frac{\theta}{(1+\varphi)} + \phi_{\pi} - \rho}.$$
(9)

From this we see that, for  $0 \le \rho \le 1$ ,

$$0 < \psi \le 1$$
, with equality only if  $\rho = 1$ . (10)

DS model 3 coefficient on  $r_t$ coefficient on natural rate coefficient on real rate 2.5 2 1.5 0.5 0.2 0.4 0.5 0.6 0.9 0 0.1 0.3 0.7 0.8

Figure 1: DS Model Results

Figure 1 reports  $\gamma_3, \gamma_0, \gamma_4$  for  $\rho \in (0, 1)$ . We set

$$\theta = 3/4, \phi_{\pi} = 1.2, \beta = 1.03^{-1/4}, \varphi = 1,$$

so that  $\kappa = 0.17$ , after rounding. From Figure 1, we see that the response of the real rate,  $\gamma_4$ , is with one exception, less than the response of the natural rate,  $\gamma_0$ , to a technology shock. The response of the nominal rate of interest,  $\gamma_3$ , to a technology shock could be bigger than the response of the natural rate, but that can only happen if the response of inflation is even stronger. Thus, in terms of moving the real rate of interest, the Taylor rule is almost always weaker than the natural rate in responding to a shock in technology. The exception is when the two responses are the same, when  $\rho = 1$ . Of course, what matters in the model is the real rate.

## 2 TS Model

Suppose that the law of motion of  $a_t$  is as follows:

$$a_t = \rho a_{t-1} + \varepsilon_t$$

so that

$$r_t^* = E_t \Delta a_{t+1} = \gamma_0 \left( \rho - 1 \right) a_t,$$

where

$$\gamma_0 = \rho - 1. \tag{11}$$

Note that now the response of the natural rate to a technology shock,  $\gamma_0$ , is related to  $\rho$  in a different way.

Conjecture the following solution:

$$\pi_t = \gamma_1 a_t, x_t = \gamma_2 a_t, r_t = \gamma_3 a_t$$

When these are substituted into the model, of equations (2)-(4), only (2) changes:

$$\gamma_2 = \gamma_2 \rho - \gamma_3 + \gamma_1 \rho + (\rho - 1).$$

Rewriting the first of these equations:

$$(1-\rho)\gamma_2 + \gamma_3 - \gamma_1\rho = \rho - 1$$

As a result, we have, from (7),

$$\left[\frac{(1-\beta\rho)}{\kappa}\frac{(1-\rho)}{\phi_{\pi}} + 1 - \frac{\rho}{\phi_{\pi}}\right]\gamma_{3} = \rho - 1 \tag{12}$$

The response of the real rate of interest,  $\tilde{r}_t$ , to  $a_t$  is  $\gamma_4$  as defined in equation (8). The response of the natural rate of interest to  $a_t$  is  $\gamma_0$ , so by (8) and (12), we have we are now interested in

$$\frac{\gamma_4}{\gamma_0} = \left(1 - \frac{\rho}{\phi_\pi}\right) \frac{1}{\frac{(1-\beta\rho)}{\kappa} \frac{(1-\rho)}{\phi_\pi} + 1 - \frac{\rho}{\phi_\pi}} = \psi,$$

by (9) and (11). As before,  $\psi$  has the property, (10), even though the parameter  $\rho$  is now the parameter in the TS representation for  $a_t$ .

The values of  $\gamma_4, \gamma_0, \gamma_3$  for  $\rho \in (0, 1)$  in the TS model are displayed in Figure 2. Note that, once again, the Taylor rule is too weak, in terms of moving the real rate of interest. That is,  $\gamma_4 = \psi \gamma_0$ , where  $\psi$  is given in (10).

### 3 Result

The result is stated in the form of a proposition:

**Proposition 1.** Suppose that the technology shock is driven by the DS or the TS model, with  $0 \le \rho \le 1$ . Also,  $\phi_{\pi} > 1$ ,  $\beta, \theta \in (0,1)$ , and  $\varphi \ge 0$ . Then, real interest rate responds more weakly to a technology shock than the natural rate of interest does. That is,  $\gamma_4 = \psi \gamma_0$ , where  $\gamma_0$  denotes the response of the natural rate of interest to a technology shock and  $\psi$  satisfies the restrictions in (10).



